

Safety Data Sheet

Product Name: SIR-100-HP

(Nitrate selective Strong Base Anion Exchange Resin Chloride Form) Effective date 10 January 2020

O 11 4	
SACTION 1	Identification
Jechon	 ıu c ılılılıcalıdır

1a Product Name ResinTech SIR-100-HP

1b Common Name Nitrate Selective strong base anion resin in the

chloride form.

1c Intended use Removal of nitrates and perchlorate from water.

1d Manufacturer ResinTech, Inc.

Address 160 Cooper Road,

West Berlin, NJ 08091 USA

Phone 856-768-9600

Email ixresin@resintech.com

Section 2: Hazard Identification

2a Osha Hazard classification Not hazardous or dangerous

Product Hazard Rating	Scale
Health = 0	0 = Negligible
Fire = 1	1 = Slight
Reactivity = 0	2 = Moderate
Special – N/A	3 = High
	4 = Extreme

2b Product description Light cream to light yellow colored solid beads

with little or no odor.

2c Precautions for use Safety glasses and gloves recommended.

Slipping hazard if spilled.

2c Potential health effects Will cause eye irritation.

May cause mild skin irritation.

Ingestion is not likely to pose a health risk.

2d Environmental effects Little or none.

Section 2A: Hazard classification UN OSHA globally harmonized system



Warning (contains ion exchange resin)

H320: Causes eye irritation (Category 2B)

Precautionary Statements

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do – continue rinsing.

P333+313: If skin irritation or a rash occurs: Get medical advice/attention.

P337+313: If eye irritation persists get medical advice/attention.

P403+233: Store in a well-ventilated place. Keep container tightly closed.

P411: Store at temperatures not exceeding 50 °C/ 122 °F.

Please refer to the safety data sheet for additional information regarding this product

ResinTech, Inc. 160 Cooper Road West Berlin, NJ 08091-9234 856 768-9600 Ixresin@resintech.com

Section 3: Composition/ Information on Ingredients		
3a	Chemical name	Tri-ethylamine functionalized chloromethylated copolymer of polystyrene in the chloride form.
3b	Ingredients Tri-ethylamine functionalized chloromethlyated copolymer of styrene and divinylbenzene in the chloride form	CAS# 63453-90-7 (35 - 65%)
	Water	CAS# 7732-18-5 (35 – 65%)

Section 4: First Aid Measures

Oction 4. First Aid Medadies		
4a	Inhalation	No adverse effects expected - normal use of product does not produce odors or vapors.
4b	Skin	Wash with soap and water- seek medical attention if a rash develops.
4c	Eye contact	Wash immediately with water-seek attention if discomfort continues.
4d	Ingestion	No adverse effects expected for small amounts, larger amounts can cause stomach irritation. Seek medical attention if discomfort occurs.
Section 5: Fire Fighting Measures		
5a	Flammability	NFPA Fire rating = 1
5b	Extinguishing media	Water, CO2, foam, dry powder
5c	Fire fighting Procedures	Follow general fire fighting procedures indicated in the work place.
5d	Protective Equipment	MSHA/NIOSH approved self-contained breathing gear, full protective clothing.
5e	Combustion Products	Carbon oxides and other toxic gasses and vapors.
5f	Unusual Hazards	Product is not combustible until moisture is removed. Resin begins to burn at approximately 230° C. Auto ignition can occur above 500° C.

0	tion C. Assidental Delega Massacra	
Sec	tion 6: Accidental Release Measures	
6a	Personal Precautions	Keep people away, spilled resin can be a slipping hazard, wear gloves and safety glasses to minimize skin or eye contact.
6b	Incompatible Chemicals	Strong oxidants can create risk of combustion products similar to burning.
6c	Environmental Precautions	Keep out of public sewers and waterways.
6d	Containment Materials	Use plastic or paper containers.
6e	Methods of Clean-up	Sweep up material and transfer to containers.
Section 7: Handling and Storage		
7a	Handling	Avoid prolonged skin contact. Keep resin moist and avoid allowing resin to completely dry.
7b	Storage	Store in a cool dry place (0° to 45° C) in the original shipping container. This product is thermally sensitive and will have reduced shelf life if subjected to extended periods of time at temperatures exceeding 50° C. Although freezing does not usually damage ion exchange resins, avoid repeated freeze thaw cycles.

Section 8: Exposure Controls/Personal Protection		
8a	OSHA exposure limits	None noted.
8b	Engineering Controls	Provide adequate ventilation.
8c	Personal Protection Measures Eye Protection Respiratory Protection Protective Gloves	Safety glasses or goggles. Not required for normal use. Recommended for extended contact.

Section 9: Physical and Chemical Properties

Appearance Light cream to light yellow beads approx.

0.6 mm diameter.

Flammability or explosive limits Flammable above 500° C

Odor Little or no odor

Physical State Solid

Vapor pressure

Odor threshold

Vapor density

pH

Not available

Not available

Not available

Not available

Relative density Approx 680 grams/Liter

Melting point/freezing point Does not melt, freezes at approx. 0 C Solubility Insoluble in water and most solvents

Boiling point Does not boil
Flash point Approx 500° C

Evaporation rate Does not evaporate

Partition Coefficient (n-octonol/water)

Auto-ignition temperature

Approx 500° C

Decomposition temperature

Above 230° C

Viscosity

Not applicable

Section 10: Stability and Reactivity

10a Stability Stable under normal conditions.

10b Conditions to Avoid Heat, exposure to strong oxidants.

10c Hazardous by-products

Triethylamine, charred polystyrene, aromatic acids

and hydrocarbons, organic amines, nitrogen oxides, carbon oxides, chlorinated hydrocarbons.

10d Incompatible materials Strong oxidizing agents (such as HNO₃).

10e Hazardous Polymerization Does not occur

Section 11: Toxicological Information

11a Likely Routes of Exposure Oral, skin or eye contact.

11b Effects of exposure

Delayed None known.
Immediate (acute) None known.
Chronic None known.

11c Toxicity Measures

Skin Adsorption Unlikely.

Ingestion Oral toxicity believed to be low but no LD50 has

been established.

Inhalation Unknown, vapors are very unlikely due to physical

properties (insoluble solid).

11d Toxicity Symptoms

Skin Adsorption Mild rash.

Ingestion Indigestion or general malaise.

Inhalation Unknown.

11e Carcinogenicity None known

Section 12: Ecological information

12a Eco toxicity Not harmful to plant or animal life.

12b Mobility Insoluble.

12c Biodegradability Not biodegradable.

12d Bioaccumulation Insignificant.

12e Other adverse effects Not Harmful to the environment.

Section 13: Disposal Considerations		
13a General considerations	Material is non-hazardous.	
13b Disposal Containers	Most plastic and paper containers are suitable.	
13c Disposal methods	No specific method necessary.	
13d Sewage Disposal	Not recommended.	
13e Precautions for incineration	May release trimethylamine and toxic vapors when burned.	
13f Precautions for landfills	Resins used to remove hazardous materials may then become hazardous mixtures	
Section 14: Transportation Information		
14a Transportation Class	Not classified as a dangerous good for transport by land, sea, or air.	
14b TDG	Not regulated.	
14c IATA	Not regulated.	
14d DOT (49 CFR 172.101)	Not Regulated.	
Section 15: Regulatory Information		
15a CERCLA	Not regulated	
15b SARA Title III	Not regulated	
15c Clean Air act	Not regulated	
15d Clean Water Act	Not regulated	
15e TSCA	Not regulated	
15f Canadian Regulations WHMIS TDG	Not a controlled product Not regulated	
15g Mexican Regulations	Not Dangerous	

Section 16: Other Information

The information provided in this safety data sheet is presented in good faith and believed to be accurate as of the effective data shown above. However, no warranty or guarantee of accuracy, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyer's responsibility to ensure that their activities comply with federal, state, and local laws.

16a Date of Revision 10 January 2020